



معاونت تحقیقات و فن آوری
مدیریت منابع علمی، کتابخانه مرکزی و اسناد

راهکارهای جستجو در پایگاه اطلاعات پزشکی Embase

تهیه کننده: فرشته اکبری

(رئیس کتابخانه دانشکده داروسازی)

فروردین ۱۳۹۷



- ▶ پایگاه مقالات زیست پزشکی با پوشش جامع مجلات، کنفرانس ها
- ▶ بیش از ۳۱ میلیون رکورد نمایه سازی شده
- ▶ بیش از ۸۵۰۰ مجله معتبر (peer-reviewed journals)
- ▶ مقالات زیست پزشکی بین المللی از سال ۱۹۴۷ تا به امروز
- ▶ بیش از ۲.۱ میلیون چکیده مقالات کنفرانس ها (از ۲۰۰۹)
- ▶ همه مقالات با استفاده از اصطلاحنامه Emtree® نمایه سازی عمیق شده اند.
- ▶ شامل اطلاعات مربوط به بیماری، دارو و تجهیزات پزشکی
- ▶ شامل ۷۳۰۰۰ اصطلاح ارجح (بیش از سه برابر MESH) که بیش از نیمی از آن اصطلاحات دارویی و شیمیایی هستند.
- ▶ علاوه بر اصطلاحات نمایه سازی شده شامل نام های تجاری داروها و دستگاهها و ابزارهای پزشکی و نامهای سازندگان آنها، شماره ثبت CAS، شماره توالی مولکولی می باشد.




Figure 1 Coverage of core topics grouped into 19 super categories.

دسترسی به Embase از طریق IP دانشگاه

www.embase.com

برای دسترسی به آگاهی رسانی از طریق ایمیل، ذخیره جستجوها، اضافه کردن رکوردها در clipboard و دسترسی از بیرون دانشگاه به پایگاه login کنید.

دسترسی به Embase خارج از IP دانشگاه از دو راه:

- ▶ ۱- با VPN دانشگاه می توانید به پایگاههای اطلاعاتی مشترک دسترسی داشته باشید.
- ▶ اگر نام کاربری و کلمه عبور VPN را ندارید به آدرس ذیل بروید و برای دریافت آن ثبت نام نمایید.

<http://ict.sbmua.ac.ir/> ▶



سامانه های الکترونیک > ثبت نام VPN

sbmu.ac.ir/?siteid=287&fkeyid=&siteid=287&pageid=26022

Apps ★ Bookmarks Google Google Translate Library Genesis: Scienc... سیستم آموزش نادر - دانشگاه سیستم آموزش نادر - دانشگاه Google Scholar ISC SCI h شخص >> Other bookmarks

واحد پرتال

صفحه اصلی > سامانه های الکترونیکی

دریافت فایل (FTP) ثبت نام سرویس VPN سایت مدیریت اطلاعات (پژوهان) سامانه آموزش های مجاز پایگاه جامع آزمون خدمات شهروندی کتابخانه دیجیتال سیستم رهگیری مکاتبات سامانه مالیاتی مدیا نظام پذیرش و بررسی پیشنهادات

sbmu.ac.ir/?siteid=1&siteid=1&siteid=1&fkeyid=&siteid=287&pageid=10656

دسترسی به Embase خارج از IP دانشگاه

- ▶ ۲- اگر شما کاربر ثبت نام شده در embase هستید:
- ▶ به embase.com وارد شوید و بر روی Login کلیک کنید.
- ▶ گزینه Remote access activation را خواهید دید بر روی لینک [Click here to activate](#) کلیک نمایید.
- ▶ ایمیل دانشگاهی خود را وارد کنید. یک ایمیل برای تایید با لینکی برای فعال نمودن دسترسی شما از راه دور، فرستاده می شود. بر روی لینک کلیک نمایید صفحه login باز میشود. نام کاربری و پسورد خود را وارد نمایید.

ثبت نام در Embase

The screenshot shows the Embase website interface. At the top, there is a navigation bar with the Embase logo and links for Search, Browse, Results, My tools, Register, and Login. The 'Register' and 'Login' links are circled in red. Below the navigation bar, there is a search section with a 'Search' heading and a 'Broad search' button. There are also buttons for 'Author name' and 'Journal name', each preceded by an 'AND' dropdown menu. A '+ Add search field' button is located at the bottom left of the search section. In the center, a modal window titled 'Login using your Elsevier credentials' is displayed. It contains fields for 'Username:' and 'Password:', a 'Remember me' checkbox, and a 'Login' button. There are also links for 'OpenAthens login', 'Login via your institution', 'Other institution login', 'Remote access activation', and 'Click here to activate'. A link for 'Forgotten your username or password?' is at the bottom of the modal. Below the search section, there is a 'Limit to:' section with checkboxes for 'Publication years (including):' and 'Records added to Embase:'. The 'Publication years (including):' section has dropdown menus for '2016' and 'to 2016'. The 'Records added to Embase:' section has dropdown menus for '1-1-2016' and 'to 31-12-2016'. Below this, there is an 'Evidence Based Medicine' section with checkboxes for 'Cochrane Review', 'Systematic Review', 'Meta Analysis', 'Controlled Clinical Trial', and 'Randomized Controlled Trial'. At the bottom right, there is a small text box that says 'free text only. You can also focus your search to specific fields by selecting them from the drop-downs.'

Embase®

Search ▾ Browse ▾ Results My tools Register Login (1) ?

Search

Broad search

AND ▾ Author name

AND ▾ Journal name

+ Add search field

Show 0 results >

Login using your Elsevier credentials

Username:

Password:

☐ Remember me

Login | Not Registered?

[Forgotten your username or password?](#)

[OpenAthens login](#)

Login via your institution

[Other institution login](#)

Remote access activation

[Click here to activate](#)

Limit to:

☐ Publication years (including):

2016 ▾ to 2016 ▾

☐ Records added to Embase:

1-1-2016 📅 to 31-12-2016 📅

Evidence Based Medicine

☐ Cochrane Review ☐ Controlled Clinical Trial

☐ Systematic Review ☐ Randomized Controlled Trial

☐ Meta Analysis

free text only. You can also focus your search to specific fields by selecting them from the drop-downs.

برای login در
پایگاه بایستی نام
کاربری و پسورد خود
را وارد نمایید. بنابراین
ابتدا ثبت نام کنید. برای
ثبت نام بر روی لینک
Register
کلیک نمایید.

Register

Registration is quick and free. It allows you to personalize these [Elsevier Products](#) if you have access. For example you can stay up-to-date with Search Alerts and Document Citation Alerts or keep track of your research with Saved Searches.

(*required fields)

Your details

First name: *

Family name: *

E-mail and password

Your e-mail address will be your username

E-mail address: *

Password: *

Confirm password: *

[Show other settings](#)

☐ I wish to receive information from Elsevier B.V. and its affiliates concerning their products and services

☐ * I have read and understood the [Registered User Agreement](#) and agree to be bound by all of its terms

Register

فیلدهای ستاره دار را تکمیل نمایید بر روی Register کلیک کنید. پیام Register successful را که مشاهده نمودید بر روی دکمه Continue کلیک نمایید.

Quick Search

Select Language ▾

Quick PICO PV Wizard Advanced Drug Disease Device Article Authors

Quick search ▾

Search for... e.g. 'heart attack' AND stress

AND ▾ Journal name ▾ e.g. american heart

AND ▾ Author name ▾ e.g. watson j

AND ▾ Author's first name ▾ e.g. Mary Jane

+ Add search field

Limit to:

☐ Publication years (including):

2017 ▾ to 2017 ▾

☐ Records added to Embase:

1-1-2016 📅 to 31-12-2016 📅

Evidence Based Medicine

☐ Cochrane Review ☐ Controlled Clinical Trial
☐ Systematic Review ☐ Randomized Controlled Trial
☐ Meta Analysis

در پایان نام کاربری خود را در بالای صفحه Embase مشاهده می کنید.

Searching in Embase

Embase®

Search Emtree Jour

Quick Search

Quick PICO PV Wizard Advanced Drug Disease Device Article Authors

Quick search Search for... e.g. 'heart attack' AND stress

AND Journal name e.g. american heart

AND Author name e.g. watson j

AND Author's first name e.g. Mary Jane

+ Add search field

Limit to:

☐ Publication years (including: 2017 to 2017

☐ Records added to Embase: 1-1-2016 to 31-12-2016

۹ فرم جستجو در **embase** وجود دارد:

Quick: جستجوی سریع با استفاده از کلمات کلیدی و عبارات

Pico: برای شناسایی مطالعات پزشکی مبتنی بر شواهد و پاسخ به یک سوال بالینی

PV Wizard: برای نظارتهای جامع و ساختاریافته بر داروها و مطالعات دارویی

Advanced: جستجوی دقیق با طیف وسیعی از گزینه ها

Drug: جستجوی اطلاعات مربوط به دارو یا داروهای خاص

Disease: جستجوی اطلاعات مربوط به بیماری یا بیماریهای خاص

Device: جستجوی اطلاعات در مورد دستگاه و ابزارآلات پزشکی

Article: جستجوی مقاله ای خاص

Author: جستجوی نویسنده ای خاص

Quick Search

Quick Search

Select Language | ▼

Quick PICO PV Wizard Advanced Drug Disease Device Article Authors

Search tips

Quick search ▼

AND ▼ Journal name ▼

AND ▼ Author name ▼

AND ▼ Author's first name ▼

+ Add search field ⌛ Reset form

Limit to:

☐ Publication years (including): 2014 ▼ to 2017 ▼

☐ Relevance 1-1

myoca X

myocardial function use: heart function	753,806
myocardium function use: heart function	753,806
myocardial tissue use: heart	736,261
myocardial arrhythmia use: heart arrhythmia	459,839
myocardial failure use: heart failure	422,483
myocardial insufficiency use: heart failure	422,483
myocardial infarct use: heart infarction	343,003
myocardial infarction use: heart infarction	343,003
myocardium infarct use: heart infarction	343,003
myocardium infarction use: heart infarction	343,003

برای جستجویهای کلی و سریع از Quick Search استفاده نمایید. کلمه و یا عبارت خود را در باکس جستجو تایپ نمایید. برای جستجوی عبارت، از علامت کوتیشن ‘یا’ ” در اطراف عبارت استفاده نمایید. بعد از تایپ کلیدواژه، پایگاه موضوعاتی را از تزاروس Emtree پیشنهاد می دهد. یکی از آن ها را که با جستجوی شما مطابقت دارد انتخاب نمایید.

Quick Search

Select Language | ▼

Quick PICO PV Wizard Advanced Drug Disease Device Article Authors

AND OR NOT AND ▼	Quick search ▼	'heart function'
AND ▼	Quick search ▼	asthma × 🗑
AND ▼	Author name ▼	e.g. watson j 🔍 🗑
AND ▼	Author's first name ▼	e.g. Mary Jane 🔍 🗑

+ Add search field ↺ Reset form

Limit to:

☐ Publication years (including):

2017 ▼ to 2017 ▼

☐ Records added to Embase:

1-1-2016 🗑 to 31-12-2016 🗑

Evidence B

- ☐ Cochrane
- ☐ Systematic
- ☐ Meta Analysis

عملگرهای بولین را می توانید در جستجوی دو یا چند کلمه بکار برید.

AND به معنای جستجوی مدارکی است که همه کلیدواژه ها در آن باشند. این عملگر جستجو را خاص تر و نتایج جستجو را کمتر می کند. برای جستجوی مدارکی است که هرکدام از کلیدواژه ها را داشته باشند. این عملگر معمولاً بین واژه های مترادف به کار می رود. جستجو را وسیع تر و نتایج را بیشتر می کند. **OR** برای جستجوی یک کلمه و عدم جستجوی کلمه بعد از آن به کار می رود. **NOT**



Pico Search

چارچوبی برای انجام مطالعات مروری سیستماتیک در پزشکی مبتنی بر شواهد

- ▶ مهمترین هدف یک مرور سیستماتیک خلاصه سازی و نتیجه گیری از تعداد زیادی مطالعات مداخله ای و کمک به تصمیم گیری پزشکان در انتخاب روش های درمانی و پیشگیری می باشد.
- ▶ مرحله اول هر فرایند عملی مبتنی بر شواهد پرسش قابل پاسخ است، چرا که جستجو را آسان می کند و در تعیین اینکه آیا شواهد مربوط به سوال شماست کمک خواهد کرد.
- ▶ یک پرسش ساختارمند دارای فرمتی است که از مفهوم **Pico** پیروی می کند.


Using the PICO Framework to Structure a Question

P = Patient

I = Intervention

C = Comparison/control

O = Outcome



- ▶ **P**atient or Problem
بیماری یا مشکلات افراد مورد مطالعه
- ▶ **I**ntervention
مداخله (داروها، جراحی، تغییرات سبک زندگی)
- ▶ **C**omparison or Control
مقایسه یا کنترل (جایگزینی برای مداخله ها، دارونما)
- ▶ **O**utcome
پیامدها (مرگ و میر، درد، ناتوانی)

Pico Search

Pico Search

Quick **PICO** PV Wizard Advanced Drug Disease Device Article Authors

Find best term

meningit

- meningitis
87,003 records found
- meningitis recurrent
Use preferred term 'meningitis'
87,003 records found
- meningitis bacterial
Use preferred term 'bacterial meningitis'
15,713 records found
- meningitis escherichia coli
Use preferred term 'bacterial meningitis'
15,713 records found
- meningitis purulenta
Use preferred term 'bacterial meningitis'
15,713 records found
- meningitis pyogenic
Use preferred term 'bacterial meningitis'
15,713 records found

Note: Filling any search line is optional

Population

Intervention
e.g. insulin

Comparison
e.g. placebo

Outcome
e.g. risk

Study design (or miscellaneous)
e.g. randomized controlled trial


Reset query Info

در سمت چپ صفحه در قسمت Find best term کلیدواژه خود را تایپ نمایید و یکی از اصطلاحات پیشنهادی را انتخاب کنید.

Quick **PICO** PV Wizard Advanced Drug Disease Device Article Authors

Find best term

meningi



Add to query

Note: Filling any search line is optional

Population

meningitis /exp ▼

Intervention

e.g. insulin

Comparison

e.g. placebo

Outcome

e.g. risk

Study design (or miscellaneous)

e.g. randomized controlled trial

Reset query ▶ Info

Show 87,272 results ▶

اگر موس را در کنار اصطلاح هایلایت شده قرار دهید **Add to query** (علامت +) ظاهر می شود که با کلیک بر روی آن موضوع انتخابی به باکس جستجو وارد می شود. علامت  اطلاعات مربوط به آن موضوع را نشان می دهد. این اطلاعات شامل مترادفات، تاریخچه یادداشت توضیحی و تعریف دیکشنری دورلند می باشد.

Quick **PICO** PV Wizard Advanced Drug Disease Device Article Authors

Find best term

meningi



Note: Filling any search line is optional

Population

meningitis /exp ▼

Add 6 synonyms



/exp - search strategy

Searches your term (or maps to the preferred Emtree term) and related narrower or children terms



/mj

Major focus

19,020 results



/de

Index term

38,925 results



/exp

Explosion

87,272 results



/br

As broad as possible

101,493 results



Add synonyms

Remove term ✕

- meningoencephalitis
- parasitic meningitis
- pneumococcal meningitis
- primary amebic mening...
- subdural empyema
- tuberculous meningitis
- virus meningitis
- Vogt Koyanagi syndrome

meninx disorder

● meningitis

e.g. risk

Study design (or miscellaneous)

e.g. randomized controlled trial

Reset query ▶ Info

Show 87,272 results >

اصطلاح انتخاب شده به صورت پیش فرض تا حد امکان به طور وسیع جستجو خواهد شد. بدین معنی که مترادفات و زیرموضوعات آن که به رنگ نارنجی دیده می شوند نیز در جستجوی اطلاعات لحاظ می شوند. برای تغییر پیش فرض بر روی مثلث کوچک سفیدرنگ کنار اصطلاح کلیک نمایید و از پنجره باز شده هر کدام از گزینه ها را که می خواهید انتخاب کنید.

وقتی اصطلاحی به فرم جستجوی Pico وارد می شود نشانه طوسی رنگی در کنار آن دیده میشود با کلیک بر روی آن همه سینونیم ها به قسمت جستجو اضافه خواهند شد.

Quick **PICO** PV Wizard Advanced Drug Disease Device Article Authors

6 synonyms

for meningitis

ALL ☒

leptospirotic meningitis ☒

meningeal inflammation ☒

meningitis ☒

meningitis, recurrent ☒

perimeningeal infections ☒

recurrent meningitis ☒

Note: Filling any search line is optional

Default search

☒ /mj ☐ /de

Population

meningitis /exp + 6 synonyms:all |

Intervention

e.g. insulin

Comparison

e.g. placebo

Outcome

e.g. risk

Study design (or miscellaneous)

e.g. randomized controlled trial

در سمت چپ مترادفات اضافه شده را می توانید ببینید و در صورت نیاز با کلیک بر روی دکمه نارنجی رنگ آن ها را از حالت انتخاب بیرون آورید و از جستجو حذف نمایید.

Pico Search

Quick PICO PV Wizard Advanced Drug Disease Device Article Authors

6 synonyms

for meningitis

leptospirotic meningitis

meningeal inflammation

meningitis

meningitis, recurrent

perimeningeal infections

recurrent meningitis



Note: Filling any search line is optional

Population

meningitis /exp

+ 6 synonyms:all



:all - search strategy
Search term in all fields of record

- ☐ :ti Title
- ☐ :ab Abstract
- ☐ :ti,ab Title or abstract
- ☐ :tn,dn Drug or device trade name
- ☒ :all All

Remove synonyms X

با کلیک بر روی مثلث کوچک سفید رنگ کنار سینونیم ها پنجره ای باز می شود که می توانید فیلدهای جستجو را در آن تغییر دهید.

Note: Filling any search line is optional

Default search strategy



Population

bacterial meningitis /exp ▼ + 9 synonyms:all ▼ or ▼ Haemophilus influenzae /exp ▼ + 11 synonyms:all ▼ or ▼
pneumococcal meningitis /exp ▼ + 5 synonyms:all ▼

Clear field

Intervention

antibiotic*:all ▼ |

Comparison

e.g. placebo

Outcome

e.g. risk

Study design (or miscellaneous)

e.g. randomized controlled trial

Embase به طور خودکار
عملگر OR را بین اصطلاحات
هر یک از عناصر Pico به کار
می برد و از عملگر AND برای
تکمیل عناصر مختلف استفاده می
کند.

پس از تکمیل فرم Pico بر روی
دکمه Show # results در
پایین صفحه کلیک کنید تا
جستجو انجام پذیرد.

Reset query ▶ Info

Show 18,082 results >

Pico search example

“Is exercise therapy an effective treatment for hip osteoarthritis?”

- ▶ **P – Patient or Problem**
- ▶ 1- Disease Emtree preferred term ‘name of the disease’/de (or :de if a candidate term is identified; depending on the narrower terms, you may also chose to perform an explosion search /exp)
- ▶ 2- Disease term Field search of Article title and Abstract ‘name of the disease’ OR ‘synonyms for the disease’:ti,ab
- ▶ #1 OR #2
- ▶ ‘hip osteoarthritis’/exp OR (‘arthritis’/de OR ‘osteoarthritis’/de AND ‘hip’/de) OR coxarth*:ab,ti OR ((hip OR cox) NEAR/6 (arthrit* OR arthrosis* OR arthroses* OR osteoarth* OR oa)):ab,ti OR ‘malum coxae senilis’:ab,ti

Pico search example

“Is exercise therapy an effective treatment for hip osteoarthritis?”

▶ **I – Intervention**

- ▶ **I- Drug** Emtree preferred term ‘name of the drug’/de (or :de if a candidate term is identified)
- ▶ **2- Drug term Field** search of Article title, Abstract and Drug trade name ‘name of the drug’ OR ‘synonyms for the drug’:ti,ab,tn
- ▶ **3- Drug CAS registry number Field** search ‘CAS number’:rn
- ▶ **#1 OR #2 OR #3**

▶ **Intervention =**

- ▶ ('kinesiotherapy'/exp OR 'exercise'/exp OR 'physiotherapy'/exp OR 'conservative treatment'/de OR kinesiotherap*:ab,ti OR kinesitherap*:ab,ti OR exercis*:ab,ti OR physiotherap*:ab,ti OR gymnastic*:ab,ti OR ((movement* OR motion OR manual OR phys* OR conservative* OR nonoperat* OR nonsurg* OR 'non operative' OR 'non surgical' OR paramedic* OR 'para medical') NEAR/3 (technique* OR therap* OR treat* OR isokinet* OR isomet* OR water OR management*)):ab,ti OR ((muscle* OR muscul*) NEAR/3 train*):ab,ti

Pico search example

“Is exercise therapy an effective treatment for hip osteoarthritis?”

- ▶ C – Comparison or Control. The aspects of this concept may include absence of risk or treatment, placebo or alternative therapy. This component may not apply to all review questions. It does not apply in our example.
- ▶ O – Outcome. The aspects of this concept may include risk, mortality, morbidity, quality of life and utilities.
- ▶ Outcome =
- ▶ ‘clinical effectiveness’/exp OR ‘comparative effectiveness’/exp OR ‘cost effectiveness analysis’/exp OR ‘program cost effectiveness’/exp OR ‘program effectiveness’/exp OR (effectiv*):ab,ti

Pico search example

“Is exercise therapy an effective treatment for hip osteoarthritis?”

P

'hip osteoarthritis'/exp OR ('arthritis'/de OR 'osteoarthritis'/de AND 'hip'/de) OR
coxarth*:ab,ti OR ((hip OR cox) NEAR/6 (arthrit* OR arthrosis* OR arthroses*
OR osteoarth* OR oa)):ab,ti OR 'malum coxae senilis':ab,ti **AND** ('kinesiotherapy'/

I

exp OR 'exercise'/exp OR 'physiotherapy'/exp OR 'conservative treatment'/de OR
kinesiotherap*:ab,ti OR kinesitherap*:ab,ti OR exercis*:ab,ti OR physiotherap*:ab,ti OR
gymnastic*:ab,ti OR ((movement* OR motion OR manual OR phys* OR conservative*
OR nonoperat* OR nonsurg* OR 'non operative' OR 'non surgical' OR paramedic* OR
'para medical') NEAR/3 (technique* OR therap* OR treat* OR isokinet* OR isomet* OR
water OR management*)):ab,ti OR ((muscle* OR muscul*) NEAR/3 train*):ab,ti) **AND**

O

('clinical effectiveness'/exp OR 'comparative effectiveness'/exp OR 'cost effectiveness
analysis'/exp OR 'program cost effectiveness'/exp OR 'program effectiveness'/exp OR
effectiv*:ab,ti)

PV Wizard

PV Wizard - Drug Name

Select Language ▼

Quick PICO **PV Wizard** Advanced Drug Disease Device Article Authors

Find best term

parace|



paracetamol
78,933 records found

paracet
Use preferred term 'paracetamol'
78,933 records found

paracetaminophenol
Use preferred term 'paracetamol'
78,933 records found

paracetamol ester
Use preferred term 'paracetamol'
78,933 records found

paracetamole
Use preferred term 'paracetamol'
78,933 records found

paracefan
Use preferred term 'clonidine'
39,853 records found



Drug name

e.g. Paracetamol

Subheadings

- | | |
|---|---|
| ☒ Adverse drug reaction | ☐ Drug combination |
| ☒ Drug toxicity | ☐ Drug comparison |
| ☒ Drug interaction | ☐ Drug therapy |

[EMA's MLM searches >](#)


فرم PV دارای ۵ رکن جستجو است که با Drug name شروع می شود.

در سمت چپ در Find best term نام دارو را وارد نمایید. از لیست پیشنهادی یک نام را انتخاب و کلیک کنید. اصطلاح نامه Emtree ظاهر می شود و اگر موس در کنار واژه نارنجی رنگ انتخاب شده قرار گیرد Add to query با علامت + ظاهر می شود. نام دارو در فیلد جستجو وارد می شود. شما می توانید مستقیماً نام دارو را در فیلد جستجوی Drug name نیز وارد نمایید و از لیست پیشنهادی یک نام را انتخاب کنید.

Quick PICO **PV Wizard** Advanced Drug Disease Device Article Authors

Find best term

parace



Drug name

Drug name

paracetamol

Clear field

Subheadings

- | | |
|---|---|
| ☒ Adverse drug reaction | ☐ Drug combination |
| ☒ Drug toxicity | ☐ Drug comparison |
| ☒ Drug interaction | ☐ Drug therapy |

Search details

Summary:

[drug]/[subheading] OR [drug]-induced:de,ab,ti

Full search strategy

Show 14,727 results >

Next step >

نام دارو با Subheading هایی که از قبل انتخاب شده اند جستجو می شود. شما می توانید انتخابهای بیشتری در این مورد انجام دهید و یا از حالت انتخاب خارج نمایید.
می توانید استراتژی جستجو را با کلیک بر Full search sterategy در باکس Search details مرور کنید.
بر روی Next step کلیک کنید.

Quick PICO **PV Wizard** Advanced Drug Disease Device Article Authors

224 variants

for Paracetamol

ALL ☒

- 4 acetamidophenol ☒
- 4 acetaminophenol ☒
- 4 acetylaminophenol ☒
- 4 hydroxyacetanilide ☒
- 4' hydroxyacetanilide ☒
- a-mol ☒
- abenol ☒
- acamol ☒
- acamoli forte suppositories for kids ☒
- acenol ☒
- acephen ☒
- acet suppositories ☒
- acetalgin ☒
- acetamino phenol ☒
- acetaminophen ☒

Drug name

Alternative drug names

Adverse drug reactions

Special situations

Human limit

Paracetamol:de OR

+ 224 variants

224 variants for Paracetamol from Emtree have been added to your search (see the panel on the left)

+ Add more alternative drug names [Reset form](#)

EMA's MLM searches >

Search in:

- ☐ :tn Tradename
- ☐ :tn,ti Tradename or title
- ☒ :tn,ti,ab Tradename, title or abstract
- ☐ :all All fields

Search details

Summary:

[drug]/[subheading] OR [drug]-induced:de,ab,ti OR [drug]:de OR [variants]:tn,ti,ab

[Full search strategy](#)

< Previous step

Show 159,379 results >


Next step >

در فرم **Alternative drug names** مترادفات نام دارو در سمت چپ صفحه ظاهر می شوند. همه مترادفات به حالت انتخاب هستند و به جستجو اضافه می شوند. اگر بخواهید هر کدام از آنها را از جستجو خارج کنید بر روی دکمه نارنجی رنگ مقابل آن کلیک نمایید. اگر لیست مترادفات ظاهر نشد بر روی **+ Add more alternative drug names** کلیک نمایید. با کلیک بر **Reset form** مترادفات اضافه شده حذف می شوند. فیلدهای جستجو را از باکس **Search in** می توانید تغییر دهید و از باکس **Search details** استراتژی جستجو را مشاهده کنید. بر روی **Next step** کلیک نمایید.

Quick PICO **PV Wizard** Advanced Drug Disease Device Article Authors

Find best term

paracet ✕ ↓



EMA's MLM searches >



'adverse drug reaction'/exp OR 'adverse drug reaction':lnk OR adverse:de,ab,ti OR ((side OR undesirable OR unwanted) NEXT/2 (effect* OR reaction* OR event* OR outcome*)):de,ab,ti OR 'side effect'/lnk OR 'side effect':exp OR 'complication'/lnk OR 'complication':exp OR 'complication*':de,ab,ti OR 'worsening':de,ab,ti OR 'case report*':de,ab,ti OR 'pharmacovigilance':de,ab,ti OR 'postmarketing surveillance'/exp OR 'drug interaction':lnk OR 'drug interaction':exp OR 'toxicity'/exp OR 'drug toxicity':lnk OR 'toxic*':de,ab,ti OR 'Intox*':de,ab,ti OR 'safety':de,ab,ti OR 'poison*':de,ab,ti OR 'pharmacotox*':de,ab,ti OR 'neurotox*':de,ab,ti OR 'cardiotox*':de,ab,ti OR 'nephrotox*':de,ab,ti OR 'hepatotox*':de,ab,ti OR 'immunotox*':de,ab,ti OR 'immunocytotox*':de,ab,ti OR 'cytotox*':de,ab,ti OR 'carcinogen*':de,ab,ti OR 'cancerogen*':de,ab,ti OR 'mutagen*':de,ab,ti OR 'terato*':de,ab,ti OR 'fatal outcome'/exp OR 'death'/exp OR 'death*':de,ab,ti OR 'suicide'/exp OR 'suicid*':de,ab,ti OR 'mortal*':de,ab,ti OR 'fatal*':de,ab,ti OR 'risk'/exp OR 'nocebo':de,ab,ti OR 'lethal concentration'/exp OR 'iatrogenic disease'/exp OR 'fertility'/exp OR 'substance-related disorders'/exp OR 'chemically induced':de,ab,ti

🗑️ Clear query ↺ Reset form

Search details

Summary:


(([drug]/[subheading] OR [drug]-induced:de,ab,ti) OR (([drug]:de OR [variants]:tn,ti,ab) AND ([adverse drug reactions])))

📄 Full search strategy

در فرم Adverse drug reaction استراتژی جستجو برای بازایی واکنش های ناخواسته دارو از قبل کدبندی شده اند. شما می توانید آنها را مستقیماً ویرایش نمایید. برای پاک کردن فرم بر **Clear query** و برای بازگرداندن آن بر **Reset form** کلیک نمایید. برای رفتن به مرحله بعد بر **Next step** کلیک کنید.

Find best term

paracet ✕ ⬇



EMA's MLM searches >

Drug name Alternative drug names Adverse drug reactions **Special situations** Human limit

'pregnancy'/exp OR pregnant*:de,ab,ti OR pregnanc*:de,ab,ti OR 'pregnancy complication'/exp OR 'pregnancy disorder'/exp OR 'abortion'/exp OR 'abortion':de,ab,ti OR 'lactation'/exp OR 'breast feeding':de,ab,ti OR 'breastfeeding':de,ab,ti OR 'breast milk':de,ab,ti OR 'reproduction'/de OR 'fetus'/de OR 'embryo'/de OR 'prenatal':de,ab,ti OR 'perinatal':de,ab,ti OR 'newborn':de,ab,ti OR 'parameters concerning the fetus, newborn and pregnancy'/exp OR aged/exp OR elderly:de,ti,ab OR geriatric*:ti,ab OR ((environmental OR occupational) NEXT/1 exposure*):de,ab,ti OR 'compassionate use':de,ab,ti OR (named NEXT/1 (use OR patient*)):ab,ti OR 'inappropriate prescri*':de,ab,ti OR 'drug metabolism'/exp OR 'organ dysfunction':de,ab,ti OR 'organ failure':de,ab,ti OR 'hypersensitivity*':de,ab,ti OR allerg*:de,ab,ti OR counterfeit:de,ab,ti OR 'falsified drug':de,ab,ti OR ('unavailab*' NEAR/2 drug):de,ab,ti OR 'drug resistance'/exp OR 'drug resistance':de,ab,ti OR 'withdrawal syndrome'/de OR (drug* NEAR/3 (withdrawal OR toleran* OR interact* OR exposure* OR Induc* OR resist* OR ineff* OR nonrespon* OR unrespon*)):de,ab,ti OR 'drug tolerance'/exp OR ((drug* OR treatment) NEXT/1 (failure* OR contraindication*)):de,ab,ti OR 'medication error'/exp OR (near NEXT/1 miss*):ab,ti OR ineff*:ti OR nonrespon*:ti OR unrespon*:ti OR ((lack OR no OR non OR 'not') NEXT/2 (eff* OR respon*)):ab,ti OR 'device failure':de,ab,ti OR manufacturing near/3 (error OR fault OR mistake OR failure OR contamination OR impurity) OR 'patient compliance'/exp OR overdos*:de,ab,ti OR 'drug abuse'/exp OR abus*:de,ab,ti OR misus*:de,ab,ti OR 'off label':de,ab,ti OR unlicensed:de,ab,ti

Clear query Reset form

Search details

Summary:

(([drug]/[subheading] OR [drug]-induced:de,ab,ti) OR (([drug]:de OR [variants]:tn,ti,ab) AND (([adverse drug reactions]) OR ([special situations])))


Full search strategy

در فرم Special situations اصطلاحاتی از قبیل Pregnancy, breast, feeding, Brain failure و غیره آمده است. همانند مرحله قبل می توانید فرم را ویرایش و یا حذف نمایید.

Quick PICO **PV Wizard** Advanced Drug Disease Device Article Authors

Find best term

paracet



Drug name

Alternative drug names

Adverse drug reactions

Special situations

Human limit

'human'/exp OR human OR m?n OR wom?n OR child OR boy OR girl

Clear query Reset form

Limit to:

☐ Publication years (including):

2018 ▼ to 2018 ▼

☐ Records added to Embase:

1-1-2016 to 31-12-2016

[EMA's MLM searches >](#)

Search details

Summary:

(([drug]/[subheading] OR [drug]-induced:de,ab,ti) OR (([drug]:de OR [variants]:tn,ti,ab) AND (([adverse drug reactions]) OR ([special situations])))) AND (human limit)

Full search strategy

[< Previous step](#)

[Show 111,291 results >](#)

Human limit آخرین مرحله در **PV Wizard** است. در قسمت **Limit to** فیلترهای سال انتشار و زمان اضافه شدن به پایگاه، جستجو را محدود می کند. بر روی **Show # results** کلیک نمایید تا نتایج بازایی را مشاهده کنید.

Advanced Search

Quick PICO PV Wizard **Advanced** Drug Disease Device Article Authors

e.g. 'cancer gene therapy'/exp OR ((treatment OR therapy) NEAR/5 fluorouracil):ab

Search >

Mapping ^

Date v

Sources v

Fields v

Quick limits v

EBM v

Pub. types v

Languages v

Gender v

Age v

Animal v

Search tips v

Embase mapping options

Clear page selections


Collapse

- ☒ Map to preferred term in Emtree ☐ Limit to terms indexed in article as 'major focus'
- ☒ Search also as free text in all fields
- ☒ Explode using narrower Emtree terms
- ☒ Search as broadly as possible

فرم های **Advanced, Drug, Disease, Device** از لحاظ ساختاری و جستجو شبیه هم هستند. هر کدام از آنها دارای باکس ورودی جستجو می باشند که می توانید کلمات و یا عبارات مورد نظر را در آن تایپ نمایید و از عملگرهای **AND, OR, NOT** و کدفیله ها استفاده کنید. همچنین آنها دارای گزینه هایی هستند که جستجوی شما را محدود و دقیقتر می کنند. در هر ۴ فرم تب **Mapping** دارای گزینه هایی است که هر کدام توضیح داده خواهد شد.

Advanced search

- What do the mapping levels mean?



Embase mapping options

- ☐ Map to preferred term in Emtree
- ☐ Search also as free text in all fields
- ☐ Explode using narrower Emtree terms
- ☐ Search as broadly as possible
- ☐ Limit to terms indexed in article as 'major focus'

Preferred term (/de)

Narrower terms – included
in an /exp search

- Which mapping level to use...?

Users must decide how they wish to
balance comprehensiveness with
relevance!

Synonyms are also mapped and searched

Synonyms

cardiac anomaly; cardiac disease; cardiac disturbance; cardiopathy; heart deficiency; heart deformity; heart diseases; heart disorder; heart dysfunction; major adverse cardiac event

Embase mapping options



The screenshot shows the Embase search interface. At the top, there is a search bar with the text "e.g. 'cancer gene therapy'/exp OR ((treatment OR therapy) NEAR/5 fluorouracil):ab". Below the search bar is a navigation bar with "Search >" and "Mapping ^" (highlighted). To the right of "Mapping" are several filter categories: Date, Sources, Fields, Quick limits, EBM, Pub. types, Languages, Gender, Age, Animal, and Search tips. Below the navigation bar is a section titled "Embase mapping options" with two links: "Clear page selections" and "Collapse". A red letter 'A' is placed to the left of a list of four mapping options, each with a checkbox:

- ☒ Map to preferred term in Emtree
- ☒ Search also as free text in all fields
- ☒ Explode using narrower Emtree terms
- ☒ Search as broadly as possible

To the right of this list is a checkbox labeled "Limit to terms indexed in article as 'major focus'" which is currently unchecked.

A) Map to preferred term in Emtree

تمام مترادف های اصطلاح برگزیده در Emtree، در مقالات بازیابی می شوند بنابراین جستجوی جامعی خواهیم داشت. مثال:

Preferred term: 'Heart infarction'

synonyms: cardiac infarct; cardiac infarction; cardial infarct; heart attack; heart infarct; heart micro infarction; heart muscle infarction; infarction, heart; myocardial infarct; myocardial infarction; myocardium infarct; myocardium infarction; premonitory infarction sign; second heart attack; subendocardial infarction; transmural cardiac infarction; transmural heart infarction; transmural infarction, heart

Embase mapping options

e.g. 'cancer gene therapy'/exp OR ((treatment OR therapy) NEAR/5 fluorouracil):ab

Search > **Mapping ^** Date ▾ Sources ▾ Fields ▾ Quick limits ▾ EBM ▾ Pub. types ▾ Languages ▾ Gender ▾ Age ▾ Animal ▾ Search tips ▾

Embase mapping options Clear page selections Collapse

☐ Map to preferred term in Emtree ☐ Limit to terms indexed in article as 'major focus'

B ☒ Search also as free text in all fields

☐ Explode using narrower Emtree terms

☐ Search as broadly as possible

B) Search also as free text in all fields

این گزینه برای همه کلیدواژههایی که در باکس جستجو وارد شده اند جستجوی آزاد متنی را انجام میدهد. جستجوی آزاد متنی بدین معنی است که همه فیلدهای موجود در نتایج مانند: **title, abstract, keywords, index terms** جستجو می شوند.

Embase mapping options


e.g. 'cancer gene therapy'/exp OR ((treatment OR therapy) NEAR/5 fluorouracil):ab

Search > Mapping ^ Date v Sources v Fields v Quick limits v EBM v Pub. types v Languages v Gender v Age v Animal v Search tips v

Embase mapping options Clear page selections Collapse

- ☐ Map to preferred term in Emtree
- ☐ Search also as free text in all fields
- ☒ Explode using narrower Emtree terms
- ☐ Search as broadly as possible

☐ Limit to terms indexed in article as 'major focus'



C) Explode using narrower Emtree terms

این گزینه موضوع برگزیده از تزاروس Emtree و زیرموضوعات آن را در جستجو وارد می نماید و جستجوی جامعی خواهیم داشت.

Embase mapping options

A
B
C

e.g. 'cancer gene therapy'/exp OR ((treatment OR therapy) NEAR/5 fluorouracil):ab

Search > Mapping ^ Date v Sources v Fields v Quick limits v EBM v Pub. types v Languages v Gender v Age v Animal v Search tips v

Embase mapping options Clear page selections Collapse

☒ Map to preferred term in Emtree ☐ Limit to terms indexed in article as 'major focus'

☒ Search also as free text in all fields

☒ Explode using narrower Emtree terms

☒ Search as broadly as possible **D**

D) Search as broadly as possible

این گزینه، سه عملیات A, B, C را به عنوان یک جستجو و با عملگر AND انجام می دهد.



Embase mapping options

e.g. 'cancer gene therapy'/exp OR ((treatment OR therapy) NEAR/5 fluorouracil):ab

Search > Mapping ^ Date v Sources v Fields v Quick limits v EBM v Pub. types v Languages v Gender v Age v Animal v Search tips v

Embase mapping options Clear page selections Collapse

☐ Map to preferred term in Emtree **E** ☐ Limit to terms indexed in article as 'major focus'

☐ Search also as free text in all fields

☐ Explode using narrower Emtree terms

☐ Search as broadly as possible

E) Limit to terms indexed in article as 'major focus'

بازیابی مقالاتی که کلیدواژه جستجو، موضوع اصلی آنهاست. بنابراین مقالاتی که کلمه یا عبارتهای جستجو در آنها موضوع اصلی نیستند بازیابی نمی شوند.

Advanced search

Advanced Search

Quick PICO PV Wizard **Advanced** Drug Disease Device Article Authors

e.g. 'cancer gene therapy'/exp OR ((treatment OR therapy) NEAR/5 fluorouracil):ab

Search > Mapping ^ Date ▾ Sources ▾ Fields ▾ Quick limits ▾ EBM ▾ Pub. types ▾ Languages ▾ Gender ▾ Age ▾ Animal ▾ Search tips ▾

Embase mapping options Clear page selections Collapse

☒ Map to preferred term in Emtree ☐ Limit to terms indexed in article as 'major focus'

☒ Search also as free text in all fields

☒ Explode using narrower Emtree terms

☒ Search as broadly as possible

- ▶ کلمه یا عبارت جستجو را در باکس جستجو با یا بدون عملگرها وارد کنید.
- ▶ فرم جستجوی پیشرفته دارای مجموعه گزینه های اساسی برای محدود کردن جستجو به نتایج تخصصی است. برای مثال شما می توانید جستجوی خود را به رنج خاصی از سال یا نوع انتشارات یا سن و جنسیت محدود کنید.

مثال: مقالاتی در مورد Cancer gene therapy که در سال ۲۰۱۲ در چکیده مقالات کنفرانس ها منتشر شده اند.

Advanced Search

"cancer gene therapy"

Search Mapping Date Sources Fields Quick limits EBM Pub. types Languages Gender Age Animal

Embase mapping options

- ☒ Map to preferred term in Emtree
- ☒ Search also as free text in all fields
- ☒ Explode using narrower Emtree terms
- ☒ Search as broadly as possible

Clear page selections Collapse

Advanced Search

"cancer gene therapy"

Search Mapping Date Sources Fields Quick limits EBM

Date limits

☒ Publication Years from: 2012 to 2012

Advanced Search

"cancer gene therapy"

Search Mapping Date Sources Fields Quick limits EBM Pub. types Languages

Publication types

☐ Article	☐ Erratum
☐ Article in Press	☐ Letter
☒ Conference Abstract	☐ Note
☐ Conference Paper	☐ Review
☐ Conference Review	☐ Short Survey
☐ Editorial	

▶ در باکس جستجو 'Cancer gene therapy' را تایپ کنید. بر روی تب Date کلیک نمایید و سال انتشار 2012 to 2012 را انتخاب نمایید و بر روی pub.Types کلیک کنید و گزینه Conference Abstract را انتخاب کنید. در نهایت بر روی Search کلیک کنید.

Drug search

The screenshot shows the 'Drug Search' interface. At the top, there is a blue header with the text 'Drug Search'. Below the header, there is a navigation bar with tabs: 'Quick', 'PICO', 'PV Wizard', 'Advanced', 'Drug' (highlighted in orange), 'Disease', 'Device', 'Article', and 'Authors'. Below the navigation bar, there is a search bar with the placeholder text 'e.g. 'low molecular weight heparin''. To the right of the search bar, there is a row of tabs: 'Search >', 'Mapping ^', 'Date v', 'Sources v', 'Drug fields v', 'Drug subheadings v', 'Routes v', 'Quick limits v', 'EBM v', 'Pub. types v', 'Languages v', and 'Search tips v'. The 'Drug fields v', 'Drug subheadings v', and 'Routes v' tabs are grouped together and highlighted with a red rectangle. Below the search bar, there is a section titled 'Embase mapping options' with several checkboxes: 'Map to preferred term in Emtree' (checked), 'Search also as free text in all fields' (unchecked), 'Explode using narrower Emtree terms' (checked), and 'Search as broadly as possible' (unchecked). There is also a checkbox for 'Limit to terms indexed in article as 'major focus'' (unchecked). To the right of the checkboxes, there are links for 'Clear page selections' and 'Collapse'.

فرم جستجوی دارو سه گزینه Drug fields, Drug subheadings, routes دارد که انتخاب هر کدام از آنها روی ویژگی های خاصی از اطلاعات دارویی موجود تاکید می کند.

Drug Search Example:

Advers drug reaction for vioxx

Drug Search

vioxx

☒ vioxx use: rofecoxib	10,054
☒ vioxx forte use: rofecoxib	10,054

☐ Map to preferred term in Emtree
☐ Search also as free text in all fields
☒ Explode using narrower Emtree terms
☐ Search as broadly as possible

Drug Search

'rofecoxib'

Search > Mapping ▾ Date ▾ Sources ▾ Drug fields ▾ **Drug subheadings ▴** Routes ▾ Quick limits ▾ EBM ▾ Pub. types ▾ L

Subheadings Clear page

☒ Adverse drug reaction	☐ Drug concentration	☐ Endogenous compound
☐ Clinical trial	☐ Drug development	☐ Pharmaceuticals
☐ Drug administration	☐ Drug dose	☐ Pharmacoeconomics
☐ Drug analysis	☐ Drug interaction	☐ Pharmacokinetics
☐ Drug combination	☐ Drug therapy	☐ Pharmacology
☐ Drug comparison	☐ Drug toxicity	

☐ OR ☐ AND

در فرم Drug search نام داروی vioxx را تایپ و از لیست پیشنهادی واژه برگزیده Rofecoxib را انتخاب نمایید.

Drug subheadings گزینه Adverse drug reaction را انتخاب کنید.

Disease Search

The screenshot shows the 'Disease Search' interface. At the top, there's a blue header with the title 'Disease Search' and a Google search icon. Below the header is a navigation bar with tabs: Quick, PICO, PV Wizard, Advanced, Drug, **Disease**, Device, Article, and Authors. The 'Disease' tab is selected. Below the navigation bar is a search bar containing the text 'e.g. 'acute myeloblastic leukaemia''. Below the search bar is a row of filters: Search >, Mapping v, Date v, Sources v, Fields v, **Disease subheadings ^** (highlighted with a red box), Quick limits v, EBM v, Pub. types v, Languages v, and Search tips v. Below the filters is the 'Disease subheadings' section, which contains a list of checkboxes for various subheadings: Complication, Congenital disorder, Diagnosis, Disease management, Drug resistance, Drug therapy, Epidemiology, Etiology, Prevention, Radiotherapy, Rehabilitation, Side effect, Surgery, and Therapy. At the bottom of this section are two radio buttons: OR and AND.

فرم Disease Search شامل گزینه 'Disease subheading' است که شامل زیر موضوعات مربوط به بیماری هاست مانند:

'complication', 'Disease management', 'Side effect'

Example: diabetes and prevention

Disease Search

☐ diabetes mellitus

☒ diabetes use: diabetes mellitus

☐ diabetes adult onset use: non insulin dependent diabetes mel

☐ diabetes mellitus maturity onset use: non insulin dependent d

☐ diabetes mellitus non insulin dependent use: non insulin depe

☐ diabetes mellitus type 2 use: non insulin dependent diabetes r

☐ diabetes mellitus type ii use: non insulin dependent diabetes r

☐ diabetes type 2 use: non insulin dependent diabetes mellitus

☐ diabetes type ii use: non insulin dependent diabetes mellitus

☐ diabetes complication use: diabetic complication

825,092

Disease Search

Search >

Mapping ▾

Date ▾

Sources ▾

Fields ▾

Disease subheadings ▴

Quick limits ▾

EBM ▾

Pub. types ▾

Language ▾

Disease subheadings

☐ Complication

☐ Congenital disorder

☐ Diagnosis

☐ Disease management

☐ Drug resistance

☐ Drug therapy

☐ Epidemiology

☐ Etiology

☒ Prevention

☐ Radiotherapy

☐ Rehabilitation

☐ Side effect

☐ Surgery

☐ Therapy

☐ OR

☐ AND



Device Search

Device Search

QuickPICO PV Wizard Advanced Drug Disease **Device** Article Authors

Search >

Mapping ^

Date v

Sources v

Device fields v

Device subheadings v

Quick limits v

EBM v

Pub. types v

Languages v

Search tips v

Embase mapping options

☒ Map to preferred term in Emtree

☐ Search also as free text in all fields

☒ Explode using narrower Emtree terms

☐ Search as broadly as possible

☐ Limit to terms indexed in article as 'major focus'

Clear page selections Collapse

این فرم جستجو، شامل گزینه 'Device fields' است که لیستی از کدهای موضوعی تخصصی برای جستجوی دستگاه ها و ابزارهای پزشکی است و گزینه 'Device subheadings' که شامل زیر موضوعاتی است که در جستجوی دستگاه ها به کار می رود.

مثال: مقایسه بین دو استنت

The screenshot shows the 'Device Search' interface. At the top, there's a navigation bar with tabs: Quick, PICO, PV Wizard, Advanced, Drug, Disease, **Device**, Article, and Authors. The 'Device' tab is active. Below the navigation bar, a search bar contains the text: 'covered stent' AND 'vascular stent'. Below the search bar, there's a row of filters: Search >, Mapping v, Date v, Sources v, Device fields v, **Device subheadings v** (highlighted with a red box), Quick limits v, EBM v, Pub. types v, and Languages v. Below this row, the 'Device subheadings' section is expanded, showing a list of options: Adverse device effect, Device comparison (selected with an orange square), Device economics, and Clinical trial. At the bottom of this section, there are radio buttons for 'OR' and 'AND'. A 'Clear page selections' link is located to the right of the 'Device subheadings' section.

نامهای دو استنت را تایپ کنید
(‘covered stent’ AND ‘vascular stent’) و از تب Device subheading گزینه
Comparison را انتخاب نمایید.

Article Search

Article Search



[Quick](#) [PICO](#) [PV Wizard](#) [Advanced](#) [Drug](#) [Disease](#) [Device](#) [Article](#) [Authors](#)

Article title:

ISSN:

Author Name:

e.g. Smith J.A.

CODEN:

This is only available for titles added before 2005

Journal Title:

☒ Exact

Volume:

Abbreviated Journal Title:

☒ Exact

Issue:

Publication Years from:

☐

2013 ▾

 to

2018 ▾

Search >

First page:

در این فرم جستجو با تایپ اطلاعات در تعدادی از فیلدها، رفرنس خاصی را می توانید ردیابی کنید. اگر پایگاه نتوانست بر اساس اطلاعات ورودی شما رفرنس خاصی را شناسایی کند لیستی از بهترین رکوردهای مطابق با آن را بازایی می کند.

Author Search

Author Search



[Quick](#) [PICO](#) [PV Wizard](#) [Advanced](#) [Drug](#) [Disease](#) [Device](#) [Article](#) [Authors](#)

Author last name

Q

Author first name

Q

Affiliation

Q

First name initials

Q

ORCID

Q

Find author >


در این فرم جستجو با وارد نمودن مشخصات یک نویسنده، مقالات وی بازیابی خواهند شد.

Emtree

▶ تزاروس Emtree یک اصطلاحنامه با واژگان کنترل شده در ساختار سلسله مراتبی برای حوزه های علوم زیستی و زیست پزشکی است. این تزاروس شامل طیف وسیعی از اصطلاحات دارویی ، بیماریها، ادوات پزشکی و مفاهیم اساسی علوم زیستی است.

▶ Emtree تمام محتوای Embase را نمایه سازی (ایندکس) می کند. این فرایند شامل نمایه سازی متن کامل مقالات ژورنال ها است که توسط متخصصان علوم پزشکی انجام می شود. نمایه سازان اصطلاحات یکپارچه اطلاعات زیست پزشکی را ارائه می دهند و جستجوگران با یک کلمه جامع و واحد به اطلاعات مورد نظر دست می یابند.

Emtree



The screenshot shows the Emtree web interface. At the top, there is a navigation bar with the Emtree logo and links for Search, Journals, Results, My tools, Register, and Login. Below this is a blue header bar with the text "Browse Emtree". The main content area is titled "Query Builder" and contains a sub-header "Build a multi-term search query". There are two tabs: "Find Term" (highlighted with a red box) and "Browse by Facet". Below the tabs is a text input field with the placeholder "Type word or phrase (without quotes)" and the text "diabet" entered. To the right of the input field is a small "X" icon. At the bottom right of the input field is a blue button labeled "Find Term >".

در بالای صفحه بر روی **Emtree** کلیک کنید. سه گزینه برای استفاده وجود دارد:

۱- **Find Term**: کلمه یا عبارت خود را بدون کوتیشن در فیلد جستجو وارد نمایید و بر روی **Find Term >** کلیک نمایید تا آن را در تمام اصطلاحات تزاروس جستجو نماید. از لیست پیشنهادی واژه مورد نظر خود را بیابید و بر آن کلیک نمایید.

Browse Emtree



Query Builder ▼

Build a multi-term search query

Find Term Browse by Facet

Type word or phrase (without quotes)

diabetes mellitus X


Find Term >

For term: 'diabetes mellitus'

Extend your search: ☒ Explode ☐ As major focus

Take this query to Disease Search >

Add to Query Builder >



اصطلاحات Emtree را مرور و ارتباط آن را با دیگر اصطلاحات ببینید. سپس می توانید گزینه **Take this query to** را انتخاب نموده و به فرم مربوطه وارد شوید و محدودیت های لازم را به آن اضافه کنید و یا با کلیک بر روی **Add to Query Builder** واژه مورد نظر را به **Query Builder** منتقل نمایید.

Query Builder ▼

Build a multi-term search query

Find Term


Browse by Facet

For term: **'diabetic obesity'**

Extend your search: ☒ Explode ☐ As major focus

Take this query to Disease Search >

Add to Query Builder >



Browse by Facet –۲

در این قسمت شما می توانید تزاروس
Embase و اصطلاح مورد نظر خود را
در ساختار سلسله مراتبی بررسی و
انتخاب نمایید.

Query Builder

جستجو با چند اصطلاح Emtree

Browse Emtree

Query Builder ▲
Build a multi-term search query

Search > Take to Advanced Search >

Find Term Browse by Facet

Type word or phrase (without quotes)

در Query Builder می توانید جستجو را با چند اصطلاح از تزاروس Emtree بسازید. بر روی Query Builder کلیک نمایید تا فیلد آن باز شود.

با استفاده از Find Terms و Brows by Facet می توانید اصطلاحات مورد نظر خود را شناسایی و به Query Builder اضافه نمایید. همچنین می توانید کلید واژه خود را مستقیم در این پنجره وارد نمایید. برای جستجوی عبارت از علامت “ ” یا “ ” در اطراف آن استفاده نمایید. همچنین می توانید عملگر AND یا OR را بین کلمات بکار برید.

بعد از تایپ یا وارد کردن اصطلاح مورد نظر با کلیک بر روی Search جستجوی خود را مستقیم انجام دهید و رکوردهای بازیابی شده را ببینید و یا با کلیک بر Take to Advanced Search جستجو را به فرم Advanced منتقل نموده و گزینه ها و محدودیتهای بیشتری را انتخاب نمایید. مانند سال نشر، زبان مقاله و گروه های سنی.

Browse Journals

Titles covered in Embase by license with the U.S. NLM are not listed.

A	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z
A and A Case Reports																										
AANA Journal																										
AAOHN Journal																										
AAP Grand Rounds																										
AAPS Advances in the Pharmaceutical Sciences Series																										
AAPS Journal																										
AAPS PharmSci																										
AAPS PharmSciTech																										
Abdominal Imaging																										
Abdominal Radiology																										
Academic Emergency Medicine																										
Academic Journal of Cancer Research																										
Academic Journal of Second Military Medical University																										
Academic Journal of Sun Yat-sen University of Medical Sciences																										
Academic Journal of the First Medical College of PLA																										
Academic Journal of Xi'an Jiaotong University																										
Academic Medicine																										
Academic Pediatrics																										

برای دیدن لیست ژورنالهای Embase بر روی Journals در نوار بالای صفحه کلیک کنید. ژورنالها به صورت الفبایی مرتب شده اند. برای کسب اطلاعات بیشتر هر ژورنال بر روی about کلیک نمایید.

Embase® Search Emtree Journals **Results** My tools Register Login (1) ? ≡

Results

Select Language ▼

'diabetes mellitus':ti AND [article]/lim AND [embase]/lim AND [2016-2018]/py

Search > Mapping▼ Date▼ Sources▼ Fields▼ Quick limits▼ EBM▼ Pub. types▼ Languages▼ Gender▼ Age▼ Animal▼ Search tips▼

Results Filters

+ Expand — Collapse all Apply >

Sources▼
Drugs▼
Diseases▼
Devices▼
Floating Subheadings▼
Age▼
Gender▼
Study types▼
Publication types▼
Journal titles▼
Publication years▼
Authors▼
Conference Abstracts▼
Drug Trade Names▼
Drug Manufacturers▼

☐ **History** Save | Delete | Print view | Export | Email Combine > using ☒ And ☐ Or Collapse

☐ #1 'diabetes mellitus':ti AND [article]/lim AND [embase]/lim AND [2016-2018]/py 4,703

4,703 results for search #1 Set email alert Set RSS feed Search details new Index miner

☐ **Results** **View** Print | Export | Email | Order | Add to Clipboard 1 — 25 >

Select number of items Selected: 0 (clear) Show all abstracts | Sort by: ☐ Relevance ☒ Publication Year ☐ Entry Date

☐ 1	The Cost and Quality of Life of Malaysian Type 2 Diabetes Mellitus Patients with Chronic Kidney Disease and Anemia Azmi S., Goh A., Muhammad N.A., Tohid H., Rashid M.R.A. <i>Value in Health Regional Issues</i> 2018 15 (42-49) Cited by: 0 Embase Abstract Index Terms View Full Text new Similar records >
☐ 2	Can highly cited herbs in ancient Traditional Chinese medicine formulas and modern publications predict therapeutic targets for diabetes mellitus ? Wang H., Shi S., Wang S. <i>Journal of Ethnopharmacology</i> 2018 213 (101-110) Cited by: 1 Embase Abstract Index Terms View Full Text new Similar records >
☐ 3	Association between depression and persistence with oral antihyperglycemic drugs in type 2 diabetes mellitus patients in Germany Kostev K., Jacob L. <i>Psychiatry Research</i> 2018 261 (90-93) Cited by: 0 Embase Abstract Index Terms View Full Text new Similar records >
☐ 4	The FTO variant is associated with chronic complications of diabetes mellitus in Czech population Hubacek L.A., Dlouha D., Klemesova M., Laska V., Neckudla T., Polikanova T.

صفحه **Results** خلاصه ای از رکوردهای بازایی شده را نشان می دهد. برای مشاهده جزئیات هر رکورد بر روی عنوان مدرک کلیک نمایید یا چک باکس کنار عنوان را تیک بزنید و بر روی **view** کلیک کنید.

Record Details

Session Results/4 Records | Full record ▾

Add All to Clipboard >

Print >

Record 1

Similar records | Add to Clipboard | Email Record ▾

Back to results

Original Title

Evaluation of BAG3 levels in healthy subjects, hypertensive patients, and hypertensive diabetic patients

Derosa G., Maffioli P., Rosati A., De Marco M., Basile A., D'Angelo A., Romano D., Sahebkar A., Falco A., Turco M.C.

[In Process] *Journal of Cellular Physiology* 2018 **233**:3 (1791-1795)

Go to publisher for the [full text](#)

Original Abstract

BAG3 is a member of human BAG (Bcl-2-associated athanogene) proteins and plays a role in apoptosis, cell adhesion, cytoskeleton remodeling, and autophagy. The aim of this study was to evaluate BAG3 levels in healthy subjects, hypertensive patients, and hypertensive diabetic patients. We enrolled 209 Caucasian adults, of both sex, 18–75 years of age, 77 were healthy controls, 62 were affected by hypertension, and 70 were affected by hypertension and type 2 diabetes. All patients underwent an assessment that included medical history, physical examination, vital signs, a 12-lead electrocardiogram, measurements of systolic (SBP), and diastolic blood pressure (DBP), heart rate (HR), fasting plasma glucose (FPG), glycated hemoglobin (HbA_{1c}), triglycerides (TG), transaminases, high sensitivity C-reactive protein (Hs-CRP), and BAG3. We observed higher blood pressure values in hypertensive, and hypertensive diabetic patients compared to controls. As expected, FPG and HbA_{1c} were higher in diabetic hypertensive patients, compared to the other two groups. No Tg levels differences were recorded among the three groups. Hs-CRP was higher in diabetic hypertensive patients compared to healthy subjects. Finally, BAG3 levels were higher in hypertensives, and hypertensive diabetic patients compared to controls. We observed higher levels of BAG3 in hypertensive patients compared to healthy controls, and even higher levels in hypertensive diabetic patients compared to healthy subjects. This paper could be the first of a long way to identify potential involvement of deregulated BAG3 levels in cardiometabolic diseases.

© 2017 Wiley Periodicals, Inc.

Drug Terms

aminotransferase %, C reactive protein %, endogenous compound %, hemoglobin A1c %, triacylglycerol %

Disease Terms

hypertension %, non Insulin dependent diabetes mellitus %

Other Terms

aged %, blood pressure monitoring %, Caucasian %, controlled study %, diabetic patient %, diastolic blood pressure %, electrocardiogram %, female %, glucose blood level %, heart rate %, human %, major clinical study %, male %, medical history %, physical examination %, systolic blood pressure %, vital sign %

Author Keywords

در بالای صفحه Record Details گزینه هایی برای کار با آن رکورد وجود دارد:

Similar records: جستجوی مقالات مرتبط با این رکورد از نظر موضوع

Add to clipboard: اضافه کردن مقاله به کلیپ بورد و ذخیره موقت

Email record: ایمیل مقاله به آدرس ایملتان

با کلیک بر روی Print در گوشه بالا سمت راست، می توانید از رکوردهای منتخب پرینت بگیرید.

با کلیک بر روی Results به صفحه Results بر می گردیم.

Back to results

Refine search

The screenshot displays the Embase search results interface. At the top, the search bar contains the query: `'diabetes mellitus':ti AND [article]/lim AND [embase]/lim AND [2016-2018]/py`. Below the search bar, a navigation menu includes options like Search, Mapping, Date, Sources, Fields, Quick limits, EBM, Pub. types, Languages, Gender, Age, and Animal. The 'Results' section shows 4,703 results for search #1. A sidebar on the left, titled 'Results Filters', lists various filter categories such as Sources, Drugs, Diseases, Devices, Floating Subheadings, Age, Gender, Study types, Publication types, Journal titles, Publication years, Authors, Conference Abstracts, Drug Trade Names, and Drug Manufacturers. A blue arrow points from the 'Results Filters' sidebar to a blue text box containing Persian text. The main results area lists several articles, with the first one titled 'The Cost and Quality of Life of Malaysian Type 2 Diabetes Mellitus Patients with Chronic Kidney Disease and Anemia'.

Results Filters

- Expand
- Collapse all
- Apply

- Sources
- Drugs
- Diseases
- Devices
- Floating Subheadings
- Age
- Gender
- Study types
- Publication types
- Journal titles
- Publication years
- Authors
- Conference Abstracts
- Drug Trade Names
- Drug Manufacturers

History

Save | Delete | Print view | Export | Email

Combine > using ☒ And ☐ Or

#1 'diabetes mellitus':ti AND [article]/lim AND [embase]/lim AND [2016-2018]/py 4,703

4,703 results for search #1

Set email alert Set RSS feed Search details Index miner

Results

View | Print | Export | Email | Order | Add to Clipboard

1 — 25

Select number of items Selected: 0 (clear)

Show all abstracts | Sort by: ☐ Relevance ☒ Publication Year ☐ Entry Date

1 The Cost and Quality of Life of Malaysian Type 2 Diabetes Mellitus Patients with Chronic Kidney Disease and Anemia

Azmi S., Goh A., Muhammad N.A., Tohid H., Rashid M.R.A.

Value in Health Regional Issues 2018 15 (42-49) Cited by: 0

Embase Abstract Index Terms View Full Text

2 Can highly cited herbs in ancient Traditional Chinese medicine formulas and modern publications predict therapeutic targets for diabetes mellitus?

Wang H., Shi S., Wang S.

Journal of Ethnopharmacology 2018 213 (101-110) Cited by: 1

Embase Abstract Index Terms View Full Text

3 Association between depression and persistence with oral antihyperglycemic drugs in type 2 diabetes mellitus patients in Germany

Hubacek J.A., Dlouha D., Klementova M., Lanska V., Nesukuda I., Pelikanova I.

4

هنگامی که تعداد نتایج بازیابی زیاد باشد با استفاده از فیلترها می توان مرتبط ترین نتایج را بدست آورد

Search > Mapping ▾ Date ▾ Sources ▾ Fields ▾ Quick limits ▾ EBM ▾ Pub. types ▾ Languages ▾ Gender ▾ Age ▾ Animal ▾ Search tips

Results Filters

+ Expand - Collapse all **Apply >**

Sources

Drugs

- ☐ polyglactin Details ▶ 6848
- ☐ nanoparticle Details ▶ 3067
- ☐ microsphere Details ▶ 2041
- ☐ unclassified drug 2028
- ☒ **polymer** Details ▶ 1761
- ☐ polyglycolic acid Details ▶ 953
- ☐ lactic acid 877
- ☐ macrogol Details ▶ 831
- ☐ polylactic acid 736

Click on 'Apply' to apply your selection

> Export

Diseases

Devices

Floating Subheading

Age

Gender

Study types

Publication types

Journal titles

History

Save | Delete | Print view | Export | Email

Combine >

using ☒ And ☐ Or

^ Collapse

☐ #1 'plga/exp OR plga

10,509

10,509 results for search #1 Set email alert Set RSS feed Search details new Index miner

Results

View | Print | Export | Email | Order | Add to Clipboard

1 — 25 >

Select number of items Selected: 0 (clear)

Show all abstracts | Sort by: ☐ Relevance ☒ Publication Year ☐ Entry Date

1 Rational design and evaluation of HBsAg polymeric nanoparticles as antigen delivery carriers

Bandey T., Maurya L., Singh S.
Journal of Biological Macromolecules 2018 111 (804-812)

Key subheadings

- ☐ adverse drug reaction 1
- ☐ drug combination 7
- ☐ drug comparison 5
- ☐ drug interaction 2
- ☐ drug therapy 11

Abstract Index Terms View Full Text

new Similar records >

and optimization of pH-sensitive nanoparticle delivery system containing PLGA and UCCs-2 for

treatment of Helicobacter pylori

ing Z.-W., Li C., Zhou S.-Y., Mei Q.-B., Zhang B.-L.

ices B: Biointerfaces 2018 164 (11-19)

Abstract Index Terms View Full Text

new Similar records >

3 Development of a non-toxic and non-denaturing formulation process for encapsulation of SDF-1α into PLGA/PEG-PLGA nanoparticles to achieve sustained release

Haji Mansor M., Najberg M., Contini A., Alvarez-Lorenzo C., Garcion E., Jerome C., Boury F.
European Journal of Pharmaceutics and Biopharmaceutics 2018 125 (38-50) Cited by: 0

Embase Abstract Index Terms View Full Text

new Similar records >

با کلیک بر روی ☒ لیست فیلترها را باز نمایید. چک باکس کنار آنها را انتخاب و بر روی **Apply** کلیک کنید. همچنین برای دیدن جزئیات بر روی **Details** کلیک نمایید. پنجره **Key Subheading** باز می شود و شما می توانید جنبه های مختلف آن موضوع را در مقالات بازیابی شده ببینید.

5 Molybdenum cluster loaded PLGA nanoparticles: An innovative theranostic approach for the treatment of ovarian cancer

Brandhonneur N., Hatahet T., Amela-Cortes M., Molard Y., Cordier S., Dollo G.

History & Combine Search

The screenshot shows the Embase search interface. On the left is the 'Results Filters' sidebar. The main area is divided into 'History' and 'Results' sections. The 'History' section lists five saved searches, each with a checkbox and a count. A red circle highlights the 'Combine' button and the 'And' radio button. The 'Results' section shows a list of search results, with the first result highlighted.

History Save | Delete | Print view | Export | Email **Combine >** using ☒ And ☐ Or ^ Collapse

☐ #5	#2 AND #3 AND #4	1,014
☐ #4	'asthma'/exp/dm_dt	53,053
☐ #3	'heart disease'/exp/dm_si	93,715
☐ #2	'beta adrenergic receptor stimulating agent'/exp/dd_ae	8,244
☐ #1	'beta adrenergic receptor stimulating agent'/exp OR 'beta adrenergic receptor stimulating agent'	270,674

1,014 results for search #5 [Set email alert](#) [Set RSS feed](#) [Search details](#)

Results View | Print | Export | Email | Order | Add to Clipboard 1 — 25 >

Select number of items Selected: 0 (clear) Show all abstracts | Sort by: ☐ Relevance ☒ Publication Year ☐ Entry Date

☐ 1	Management of chronic obstructive pulmonary disease beyond the lungs Vanfleteren L.E.G.W., Spruit M.A., Wouters E.F.M., Franssen F.M.E. <i>The Lancet Respiratory Medicine</i> 2016 4:11 (911-924) Embase Abstract Index Terms View Full Text
----------------------------	--

در بالای صفحه نتایج در قسمت **History** جستجوهای انجام شده در این جلسه را مشاهده می کنید. آخرین جستجو در بالا و اولین جستجو در پایین می باشد. برای برگشت به جستجوهای قبلی بر روی آن کلیک نمایید.

شما می توانید جستجوها را باهم ترکیب و یا ویرایش نمایید.

سرچ خود را به موضوعات مستقل بشکنید و با استفاده از **Combine** آن ها را با یکدیگر ترکیب کنید.

جستجوهای انجام شده می توانند با عملگرهای **AND** و **OR** با یکدیگر ترکیب شوند.

جستجوهای مورد نظر را انتخاب و بر دکمه **Combine** کلیک نمایید.

History & Edit

1

History Save | Delete | Print view | Export | Email Combine > using ☒ And ☐ Or Collapse

☐	#2	'diabetes mellitus'/exp OR 'diabetes mellitus'	852,482
☒	#1	'heart function'/exp AND [female]/lim AND [aged]/lim	88,452

Edit Email alert RSS feed

2

History Save | Delete | Print view | Export | Email Combine > using ☒ And ☐ Or Collapse

☒	#2	'diabetes mellitus'/exp OR 'diabetes mellitus'	852,482
☒	#1	'heart function'/exp AND [female]/lim AND [aged]/lim	-

Cancel > Test >

3

History Save | Delete | Print view | Export | Email Combine > using ☒ And ☐ Or Collapse

☐	#2	'diabetes mellitus'/exp OR 'diabetes mellitus'	852,482
☐	#1	'heart function'/exp AND [female]/lim AND [aged]/lim AND asthma	474

Cancel > Edit > Accept and update >

- ۱- اگر می خواهید ویرایش جستجو را از قسمت **History** انجام دهید موس خود را بر روی آن جستجو قرار داده تا در سمت راست گزینه **Edit** ظاهر شود.
- ۲- سپس بر روی آن کلیک کرده تا فیلد ورودی جستجو با پارامترهای جستجوی شما ظاهر شود ویرایش خود را انجام داده بر روی دکمه **Test** کلیک کنید.
- ۳- اگر مدارکی با پارامترهای جدید شما وجود داشت گزینه **Accept and update** ظاهر می شود بر روی آن کلیک نمایید.

My tools

Embase®

Search

Emtree

Journals

Results

My tools

F. Akbari

Logout



Clipboard

Clipboard

Saved Clipboards

Email Alerts

Saved Searches

3 result(s) in this clipboard



View

Print

Export

Email

Order

Save

Delete

Run as search

Save this Clipboard



1

Serial assessment of endothelial function 1, 6, and 12 months after ST-elevation myocardial infarction

Kandhai-Ragunath J.J., Doggen C.J.M., van der Heijden L.C., Kok M.M., Zocca P., de Wagenaar B., Doelman C., Jørstad H.T., Peters R.J.G., von Birgelen C.
[Article in Press] *Heart and Vessels* 2018 (1-8)

EMBASE

Abstract

Index Terms

View Full Text

new

Similar records >



2

Homocystinuria due to cystathionine beta-synthase (CBS) deficiency in Russia: Molecular and clinical characterization

Voskoboeva E., Semyachkina A., Yablonskaya M., Nikolaeva E.

My tools شامل قسمت های زیر است:

- هنگامی که در جستجوهای متعدد، مقالات مورد نظر خود را انتخاب نموده و گزینه **add to clipboard** در صفحه **Results** را کلیک نمایید، مقالات مورد نظر خود را می توانید در اینجا مشاهده نمایید. این مقالات به طور موقت در این قسمت باقی می مانند و بعد از خارج شدن از پایگاه حذف می شوند. برای ذخیره دائمی کلیپ مورد، مقالات خود را انتخاب و گزینه **Save** در بالا را کلیک نمایید.
- در قسمت **Saved clipboards** کلیپ بوردهای ذخیره شده قرار می گیرند.
- در تب **email Alerts** آگاهی رسانی هایی که برای استراتژی جستجو در صفحه **Results** با انتخاب **Set email alerts** انجام داده اید را نمایش می دهد.
- در تب **Saved Search** استراتژی های ذخیره شده در **History** نمایش داده می شوند.

My tools: Email Alerts

The screenshot displays a research database interface with two main sections. The top section, titled 'Email Alerts', shows a table of alerts. A red box highlights the 'Email Alerts' tab, and a red arrow points from it to the 'Set email alert' button in the bottom section. The bottom section shows search results for a query, with a red box highlighting the 'Set email alert' button. The 'Alert details' panel on the right provides information about the selected alert.

Email Alerts

	Delete	Import	Export alerts	Last results	Sent on	Status
☐ #1 test				n/a	not sent yet	●

Alert details

Alert name
test

Search query
'heart infarction'/exp OR 'heart infarction') AND [child]/lim

Mapped terms
'heart infarction' mapped to 'heart infarction', term is exploded

Comments

Email address(es)
akbari_f2005@yahoo.com

Email format
HTML

Content Selection
Citations only

History Save | Delete | Print view | Export | Email Combine > using ☒ And ☐ Or Collapse

#2 #1 AND [child]/lim 2,803

#1 'heart infarction'/exp OR 'heart infarction' 353,636

2,803 results for search #2 [Set email alert](#) [Set RSS feed](#) [Search details](#) [Index miner](#)

Results View | Print | Export | Email | Order | Add to Clipboard 1 — 25

Select number of items Selected: 0 (clear) Show all abstracts Sort by: ☐ Relevance ☒ Publication Year ☐ Entry Date

1 Serial assessment of endothelial function 1, 6, and 12 months after ST-elevation myocardial infarction
Kandhai-Ragunath J.J., Doggen C.J.M., van der Heijden L.C., Kok M.M., Zocca P., de Wagenaar B., Doelman C., Jørstad H.T., Peters R.J.G., von Birgelen C.
[Article in Press] *Heart and Vessels* 2018 (1-8) Cited by: 0
Embase [Abstract](#) [Index Terms](#) [View Full Text](#) [Similar records](#)

در تب Email Alerts آگاهی رسانی هایی که برای استراتژی جستجو در صفحه Results با انتخاب Set email alerts انجام داده اید را نمایش می دهد. در این قسمت می توانید Alert ها را با کلیک بر روی Delete حذف نمایید.

راهنمای کلی برای جستجو در پایگاه

Phrase search

▶ برای جستجوی یک عبارت آن را داخل علامت “ ” یا ‘ ’ قرار دهید یا بین آنها خط تیره بگذارید.

- ▶ ‘heart attack’
- ▶ “heart attack”
- ▶ Heart-attack

wildcards or truncation

* and ?

▶ علامت ? به جای یک حرف استفاده می شود که نتایج بازیابی به صورت ذیل خواهد بود:

- ▶ *sulf?nyl* retrieves records that contain words like 'sulfonyl' and 'sulfinyl'
- ▶ *catheter?* retrieves records that contain words like 'catheters', but not 'catheter' or 'catheterization'

▶ از علامت * می توان به جای یک حرف یا بیشتر استفاده نمود که نتایج بازیابی به صورت ذیل خواهد بود:

- ▶ *sul*ur* retrieves sulfur, sulphur
- ▶ *cat** retrieves cat, cats, catalyst, catastrophe
- ▶ *"heart attack*"* retrieves heart attack, heart attacks

wildcards or truncation

* and ?

▶ نکته ها:

- ▶ بهتر است حداقل سه حرف قبل از * تایپ شود.
- ▶ علامت * در ترکیب با محدودیت فیلدها آورده می شود:
- ▶ **sul*ur:ti:ab** *will limit your wildcard search to title and abstract only.*
- ▶ از علامت ؟ نمیتوان در محدودیت فیلد استفاده نمود بنابراین یا علامت سوال را بردارید یا جستجو را در همه فیلدها انجام دهید:
- ▶ **sulf?nyl:ab:ti**
- ▶ از علامت * می توان درون عبارتها استفاده نمود:
- ▶ **"heart infarct*" or "metabol* disorder"**
- ▶ علامت * نمی تواند در کاراکترهای کمتر از ۲ حرف به کار رود:
- ▶ **"m* disorder" or "metabol* d*" will not return results**

Boolean Operators

- ▶ **AND**: وقتی بین دو کلمه یا عبارت قرار گیرد هر دوی آنها باید در رکورد وجود داشته باشند اگرچه که در مجاورت هم نباشند.
- ▶ depression AND tricyclic
- ▶ **OR**: حداقل یکی از کلمات یا عبارات باید در رکورد وجود داشته باشند.
- ▶ elderly OR geriatric OR aged
- ▶ **NOT**: کلمه یا عبارت قبل از **NOT** باید در رکورد وجود داشته باشد; کلمه یا عبارت بعد از **NOT** نباید باشد.
- ▶ depression NOT tricyclic (a search for records containing the word depression but not containing the word tricyclic)

Proximity operators

▶ NEAR/n

▶ جستجوی کلماتی که در بین n کلمه از یکدیگر در هر جهتی قرار دارند.

▶ NEXT/n

▶ جستجوی کلماتی که در بین n کلمه از یکدیگر به ترتیب خاصی قرار دارند.

▶ Example:

▶ cancer* NEXT/4 cell* NEXT/6 therapy retrieves:

▶ “Interplay between ROS and autophagy in **cancer cells**, from tumor initiation to cancer **therapy**”

▶ blood NEXT/2 cardio* NEAR/5 system* retrieves:

▶ “...and vegetative nervous **system**, disorders of **blood** coagulation, **cardio** haemodynamics...”

▶ pneumonia NEXT/2 outcome* NEXT/2 research NEXT/2 team* retrieves:

▶ “pneumonia severity index ≥ 91 , **Pneumonia** Patient **Outcomes Research Team** score IV-V or bacteraemic pneumonia...”

▶ (clinical NEXT/2 (application* OR trial) NEXT/10 biomarker* NEXT/10 (treatment OR disease)):ab,ti retrieves:

▶ “studies suggest that MPs may have **clinical applications** including utility as **biomarkers**, use in improving cardiovascular **disease** risk prediction